


KARTA PRODUKTOWA

60° punch 40T/M 10.172






KARTA PRODUKTOWA

10.172

Max Tons: 40t/m





KARTA PRODUKTOWA

Press Brake Punch

Punch 10.172

Upper Tool for Sheet-Metal Bending — 60° / R0.8 / 40 t/m

Punch 10.172 is an upper tool for press brakes, designed for producing parts with a sharp bending angle of **60°**. The working tip has an **R0.8** radius, making this profile suitable for precise processing of parts with a clearly defined angle.

According to the technical drawing, the maximum tool load is **40 tonnes per metre**. The punch has an upper width of **27 mm**, an overall height of **145 mm** and a working dimension of **115 mm**.

10.172 Punch Profile Designation

40 t/m Maximum Tool Load

60° Tip Working Angle

R0,8 Working Tip Radius

Punch for Precise Bends at a Sharp Angle.

Profile 10.172 combines slim working geometry with a 60° angle, allowing work on parts requiring access to narrower and deeper bends.

Key Features

Key Features of Punch 10.172

01

Profil 10.172

Punch profile designation according to the attached technical drawing.

02

40 t/m Load Capacity

The maximum permissible tool load is 40 tonnes per metre of length.

03

60° Angle

The profile enables sharp bends at a 60° angle.



KARTA PRODUKTOWA

04

R0.8 Radius

The working tip with an R0.8 radius enables precise forming of the part.

05

145 mm Height

The overall profile height is 145 mm according to the technical drawing.

06

115 mm Working Dimension

The working dimension indicated in the drawing is 115 mm.

Technical Parameters

Technical Specification of Punch 10.172

Parameter	Value from Drawing
Tool Type	Punch / upper tool for press brake
Profile Designation	10.172
Maximum Load	40 t/m
Working Angle	60°
Tip Radius	R0,8
Upper Profile Section Width	27 mm
Overall Profile Height	145 mm
Working Dimension	115 mm
Upper Internal Dimension	15,5 mm
Lower Internal Dimension	10,3 mm
Tip-Side Dimension	10 mm
Additional Profile Dimension	5 mm

The data was prepared based on the technical drawing. Before purchase, it is worth verifying the compatibility of profile 10.172 with the mounting system and requirements of the specific press brake.