





KARTA PRODUKTOWA

60° punch 80T/M 10.170



KARTA PRODUKTOWA





KARTA PRODUKTOWA

Press Brake Punch

Punch 10.170

Upper Tool for Sheet-Metal Bending — 60° / R1 / 80 t/m

Punch 10.170 is an upper tool designed for work in press brakes. The characteristic tip geometry enables bends at a sharp **60°** angle, with a working radius of **R1**.

According to the technical drawing, the maximum tool load is **80 tonnes per metre**. The profile has an upper width of **27 mm**, an overall height of **120 mm** and the indicated working dimension of **90 mm**.

10.170 Punch Profile Designation

80 t/m Maximum Tool Load

60° Tip Working Angle

R1 Working Tip Radius

Punch for Sharp Bends on a Press Brake.

Profile 10.170 is suitable for producing parts requiring a sharp bending angle, stable tool guidance and high work repeatability.

Key Features

Key Features of Punch 10.170

01

Profil 10.170

Tool profile designation according to the technical drawing: 10.170.

02

80 t/m Load Capacity

The maximum permissible tool load is 80 tonnes per metre.

03

60° Angle

The tip geometry enables bends at a sharp 60° angle.

04



KARTA PRODUKTOWA

R1 Radius

The working tip with an R1 radius allows the appropriate bending radius of the part.

05

120 mm Height

The overall profile height is 120 mm according to the technical drawing.

06

90 mm Working Dimension

The drawing indicates a 90 mm working dimension, important when selecting the tool for the press.

Technical Parameters

Technical Specification of Punch 10.170

Parameter	Value from Drawing
Tool Type	Punch / upper tool for press brake
Profile Designation	10.170
Maximum Load	80 t/m
Working Angle	60°
Tip Radius	R1
Upper Profile Section Width	27 mm
Overall Profile Height	120 mm
Working Dimension	90 mm
Side Undercut Dimension	8 mm
Tip-Side Dimension	6 mm
Additional Profile Dimension	5 mm

The data was prepared based on the technical drawing. Before purchase, it is worth checking whether punch profile 10.170 is compatible with the mounting system and requirements of the specific press brake.